



SERIE 126 RTC



## RTC COUPLINGS

ENCHUFE ROSCADO HPX ALTA RESISTENCIA RTC

### ENCHUFE RÁPIDO SERIE 126 RTC



8
12
20
25
33

126.08 SFB 21
126.12 SFB 26
126.20 SFB 33
126.25 SFB 42
126.33 SFB 48



8
12
20
25
33

126.08 PFB 21
126.12 PFB 26
126.20 PFB 33
126.25 PFB 42
126.33 PFB 48



[info@hidrafluid.es](mailto:info@hidrafluid.es)  
Telf: (+34) 976 24 32 10

[www.rtc-tec.com](http://www.rtc-tec.com)



## SERIE 126 RTC



## RTC COUPLINGS

ENCHUFE ROSCADO HPX ALTA RESISTENCIA RTC

### ENCHUFE RÁPIDO SERIE 126 RTC

	8	126.08 DGB 21	126.08 SFB 21
	12	126.12 DGB 26	126.12 SFB 26
	20	126.20 DGB 33	126.20 SFB 33
	25	126.25 DGB 42	126.25 SFB 42
	33	126.33 DGB 48	126.33 SFB 48

	8	126.08 DUB 21	126.08 PFB 21
	12	126.12 DUB 26	126.12 PFB 26
	20	126.20 DUB 33	126.20 PFB 33
	25	126.25 DUB 42	126.25 PFB 42
	33	126.33 DUB 48	126.33 PFB 48



[info@hidrafluid.es](mailto:info@hidrafluid.es)  
Telf: (+34) 976 24 32 10

[www.rtc-tec.com](http://www.rtc-tec.com)



SERIE 126 RTC



RTC COUPLINGS

ENCHUFE ROSCADO HPX ALTA RESISTENCIA RTC

ENCHUFE RAPIDO ANTIGOTEO HPX

**PRESIÓN TRABAJO**

<b>126.08</b>	500 bar
<b>126.12</b>	500 bar
<b>126.20</b>	500 bar
<b>126.25</b>	500 bar
<b>126.33</b>	350 bar



[info@hidrafluid.es](mailto:info@hidrafluid.es)  
Telf: (+34) 976 24 32 10

[www.rtc-tec.com](http://www.rtc-tec.com)