



SERIE 102 RTC



RTC COUPLINGS

QUICK COUPLINGS FOR TEMPERATURE REGULATION



| |
|------------------|
| 102.06 SFB 13 |
| 102.06 SFB 13 90 |
| 102.06 SFB 17 |
| 102.09 SFB 17 |
| 102.09 SFB 17 90 |
| 102.09 SFB 21 |
| 102.12 SFB 21 |
| 102.16 SFB 26 |



| |
|---------------|
| 102.06 PFB 13 |
| 102.06 PFB 17 |
| 102.09 PFB 17 |
| 102.12 PFB 21 |
| 102.16 PFB 26 |

PRESIÓN TRABAJO

rtc 102.06 50 bar (725 PSI)

rtc 102.07 50 bar (725 PSI)

rtc 102.09 50 bar (725 PSI)

rtc 102.12 50 bar (725 PSI)

rtc 102.16 50 bar (725 PSI)



info@hidrafluid.es

Telf: (+34) 976 24 32 10

www.rtc-tec.com
QUICK CONNECT TECHNOLOGY




SERIE 102 RTC




RTC COUPLINGS

QUICK COUPLINGS FOR TEMPERATURE REGULATION



| |
|------------------|
| 102.06 SHB 10 |
| 102.06 SHB 10 90 |
| 102.07 SHB 10 |
| 102.07 SHB 10 90 |
| 102.09 SHB 13 |
| 102.09 SHB 13 90 |



| |
|------------------|
| 102.06 PSB 10 |
| 102.07 PSB 10 |
| 102.09 PSB 13 |
| 102.06 PSB 10 90 |
| 102.07 PSB 10 90 |
| 102.09 PSB 13 90 |

MATERIAL AUTOBLOCANTE



info@hidrafluid.es

Telf: (+34) 976 24 32 10

www.rtc-tec.com
QUICK CONNECT TECHNOLOGY



SERIE 102 RTC



RTC COUPLINGS

QUICK COUPLINGS FOR TEMPERATURE REGULATION

| | | | |
|--|---|--|------------------------|
| | 6 | | M 102.06 SFB 13 |
| | 9 | | M 102.09 SFB 17 |
| | 9 | | M 102.09 SFB 21 |
| | 8 | | 102.08 SFB 13 |
| | 8 | | 102.08 SFB 17 |

| | | | |
|--|---|--|------------------------|
| | 6 | | M 102.06 PFB 13 |
| | 9 | | M 102.09 PFB 17 |
| | 9 | | M 102.09 PFB 21 |
| | 8 | | M 102.08 SHB 10 |
| | 8 | | M 102.08 SHB 13 |
| | 8 | | M 102.08 SPB 10 |
| | 8 | | M 102.08 SPB 13 |
| | 8 | | M 102.08 POB 17 |

